



KIT SOLV XTS Advanced Formula Degreaser

Section 1: Identification

Product Name: KIT SOLV XTS Advanced Formula Degreaser
Manufacturer's Name: Kitter Corporation
Address: 100 S. Cleveland (P.O. Box 9680) Amarillo, TX 79105
Emergency Phone Number: Chem-Tel 1-800-255-3924
Product Stewardship: 806-376-1448
Date Prepared: January 10, 2007

Section 2: Composition / Information on Ingredients

CHEMICAL	C.A.S. NUMBER	WEIGHT %
Water	7732-18-5	50 - 90
2-Butoxyethanol	111-76-2	5-15
Sodium Hydroxide	1310-73-2	1-5
Sodium Gluconate	527-07-1	1-5
Tetrasodium salt of Ethylenediaminetetraacetic acid	64-02-8	<1

OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200): Exposure Limits 8 Hours TWA (PPM)	OSHA PEL	ACGIH TLV
2-Butoxyethanol	100 ppm	100 ppm
Sodium Hydroxide	2 mg/ml	2 mg/ml

Section 3: Hazard Identification

Potential Health Effects:

Eyes: Severe irritant.
Skin: Product is a skin irritant. Prolonged or repeated exposure will cause skin irritation.
Ingestion: Harmful if swallowed Nausea and diarrhea possible, aspiration of material into lungs can cause chemical pneumonitis which can be fatal.
Inhalation: Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration. Call for prompt medical attention.

Section 4: First Aid Measures

Eye Contact: Immediately flush eyes with large amounts of water for 15 minutes or until irritation subsides. Call for prompt medical attention.
Skin Contact: Remove contaminated clothing (including shoes) and wash before reuse. Flush with large amounts of water. Use soap if available. Seek medical attention.
Ingestion: do not induce vomiting unless directed by a physician. If conscious and alert, give two glasses of water. Seek medical attention immediately.
Inhalation: Move to fresh air in case of accidental inhalation of vapors. If victim has stopped breathing, give artificial respiration. Call for prompt medical attention.

Section 5: Fire Fighting Measures

Flash Point & Method: >200°F, TCC Method
Flammable Limits: LEL - N/A UEL - N/E
Auto Ignition Temperature: Not Determined
General Hazard: Corrosive or strongly alkaline liquid. Concentrate product solution in contact with aluminum releases hydrogen gas.
Fire Fighting Instructions: Use self-contained breathing apparatus for maximum respiratory protection. Use water spray to cool containers in area.

Section 6: Accidental Release Measures

Small Spills: Soak up with absorbent. Shovel in waste containers. Flush area with water.
Large spills: Recover spilled material for reprocessing or disposal. See Section 13 for proper disposal information.

Section 7: Handling & Storage

Storage Temperature: Ambient
Storage Pressure: Atmospheric
General: Keep container closed when not in use. Store in a cool, well ventilated place out of direct sunlight and away from incompatible materials. (See STABILITY AND REACTIVITY Section 10) Follow all MSD Sheet and Label warnings even after emptied.

KIT SOLV XTS Advanced Formula Degreaser

Section 8: Exposure Control / Personal Protection

Engineering Controls: Local exhaust ventilation is acceptable Mechanical ventilation is recommended.

Personal Protection:

Respiratory Protection: If vapors, fumes or dusts are present use a MSHA or NIOSH approved respirator with a NIOSH alkaline cartridge.

Hand Protection: Alkali resistant gloves

Eye Protection: Side shield Safety glasses

Other Recommendations: Not required.

Section 9: Physical & Chemical Properties

Specific Gravity (H ₂ O=1):	1.06	Boiling Point:	215°F
Vapor Pressure (mmHg):	N/A	pH:	12.5 – 13.5
Solubility in Water:	100%	Volatile by Volume:	90%

Appearance and Odor: Clear colorless liquid with a solvent odor

Section 10: Stability & Reactivity

General: Stable, hazardous polymerization will not occur.

Incompatible Materials: Flammable liquids, organic halogens, concentrated acids, or soft metals.

Hazardous Decomposition: Forced combustion yields carbon oxides.

Section 11: Toxicological Information

Results of Component Toxicity Tests Performed: Information not available.

Section 12: Ecological Information

Aquatic Effects: Information not available

Section 13: Disposal Considerations

RCRA 40 CFR 261 Classification: Unused material is not regulated, however used material may contain regulated materials. Since Federal, State, and Local laws governing disposal of materials can differ; please ensure proper disposal compliance with proper authorities before disposal.

Section 14: Transportation Information

U.S. DOT Information:

Proper Shipping Name: CORROSIVE LIQUID, BASIC, INORGANIC, n.o.s, (contains SODIUM HYDROXIDE)

Hazard Class: 8

Packing Group: III

UN Number: UN3266

Section 15: Regulatory Information

U.S. Federal Regulations:

MSDS complies with OSHA's Hazard Communication Rule, 29CFR1910.1200.

CERCLA/Superfund, 40 CFR 117: N/A

SARA Superfund and Reauthorization Act of 1986 Title III Section 302, 311 and 313:

Section 302: None of the chemicals are listed in Section 302

Section 311/312: By our hazard evaluation, this product is hazardous. EPA Hazard: Immediate (acute) health hazard.

Section 313: Contains 2-Butoxyethanol (CAS # 111-76-2) at 10%

Section 16: Other Information

Created: 11-21-2006

Revised Sec. 14, 07-06-2007, 02-04-08

By: D. Sloan

Disclaimer of Liability: The information contained herein is, to the best of our knowledge, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.