



# Kitter Corporation

# Material Safety Data Sheet

## QUICK-SAN Liquid Sanitizer and Destainer

### Section 1: Identification

Product Name: QUICK-SAN Liquid Sanitizer and Destainer  
Manufacturer's Name: Kitter Corporation  
Address: 100 S. Cleveland (P.O. Box 9680) Amarillo, Texas 79105  
Emergency Phone Number: Chem-Tel 1-800-255-3924  
Product Stewardship: 806-376-1448  
Date Prepared: March 26, 2003

### Section 2: Composition / Information on Ingredients

CHEMICAL	C.A.S. NUMBER	WEIGHT %
Water	7732-18-5	85 - 99
Sodium Hypochlorite	7681-52-9	1 - 5
Sodium Hydroxide	1310-73-2	<<1.0

#### OSHA HAZARDOUS COMPONENTS (29 CFR 1910.1200):

	OSHA PEL	ACGIH TLV	Supplier
Sodium Hypochlorite	N/E	N/E	N/E
Sodium Hydroxide	2 mg/m <sup>3</sup>	2 mg/m <sup>3</sup>	N/E

### Section 3: Hazard Identification

#### Potential Health Effects:

Eyes: Contact with eyes can cause severe eye injury.  
Skin: Prolonged or repeated contact with skin will cause irritation.  
Ingestion: Swallowing may cause abdominal discomfort, nausea, vomiting and diarrhea.  
Inhalation: Not a likely route of exposure.  
Medical Conditions Aggravated by Overexposure: Repeated skin contact may cause dermatitis.

### Section 4: First Aid Measures

Eye Contact: Immediately flush eyes with water for at least 15 minutes. Seek medical attention.  
Skin Contact: Wash skin with water and remove contaminated clothing. Do not reuse contaminated clothing.  
Ingestion: Do not induce vomiting. If conscious and alert, give two glasses of water. Seek medical attention immediately.  
Inhalation: Remove to fresh air. Seek medical attention if symptoms persist.

### Section 5: Fire Fighting Measures

Flash Point & Method: None, PMCC Method  
Flammable Limits: LEL - N/A UEL - N/A  
Auto ignition Temperature: N/E  
General Hazard: None  
Fire Fighting Instructions: Use self-contained breathing apparatus for maximum respiratory protection. Use water spray to cool containers in area.  
Unusual Fire & Explosion Hazards: None known

### Section 6: Accidental Release Measures

Small Spills: Soak up with absorbent. Shovel in waste containers. Flush area with water.  
Large Spills: Recover spilled material for reprocessing or disposal. See Section 13 for proper disposal information.

### Section 7: Handling & Storage

Storage Temperature: Ambient  
Storage Pressure: Atmospheric  
General: Keep container closed when not in use. Store in a cool, well-ventilated area. Avoid overheating or freezing.  
Wash thoroughly after handling. Keep out of reach of children. Spilled material is slippery.

# QUICK-SAN Liquid Sanitizer and Destainer

---

---

## Section 8: Exposure Control / Personal Protection

---

---

Engineering Controls: Local exhaust ventilation is acceptable. Mechanical ventilation is recommended.

Personal Protection:

Respiratory Protection: If vapors, fumes or dusts are present use a MSHA or NIOSH approved respirator, a fresh air breathing apparatus or a self contained breathing apparatus.

Hand Protection: Water repellent gloves.

Eye Protection: Goggles or full face shield.

Other Recommendations: Not required.

---

---

## Section 9: Physical & Chemical Properties

---

---

Specific Gravity (H <sub>2</sub> O=1) . . . . .	1.08	Boiling Point . . . . .	decomposes upon heating
Vapor Pressure (mmHg.) . . . . .	N/A	Melting Point . . . . .	N/A
Vapor Density (AIR=1) . . . . .	>1	Solubility in Water . . . . .	100%
Evaporation Rate (n-BuAc=1) . . . . .	<1	pH . . . . .	12.5

Appearance and Odor: Pale yellow liquid with a chlorine odor.

---

---

## Section 10: Stability & Reactivity

---

---

General: Stable, hazardous polymerization will not occur.

Incompatible Materials: Strong oxidizing agents.

Hazardous Decomposition: Forced combustion yields ammoniacal vapors and nitrous oxides.

---

---

## Section 11: Toxicological Information

---

---

Results of Component Toxicity Tests Performed:

No Chemicals used in this product are listed as carcinogens or suspected carcinogens by the National Toxicological Program, IARC monograms or OSHA.

---

---

## Section 12: Ecological Information

---

---

Aquatic Effects: 48 hr. Daphnia Magna EC50 = >1.0 mg/L  
Bacterial test LC50 = >5000 mg/L  
96 hr. Fathead Minnow LC50 = >0.6 mg/L

---

---

## Section 13: Disposal Considerations

---

---

Waste Disposal Method: Recover liquid or dispose waste material in accordance with all applicable federal, state and local regulations and laws. Material collected with absorbent may be disposed of in a permitted landfill.

---

---

## Section 14: Transportation Information

---

---

U.S. DOT Information:

Proper Shipping Name: CORROSIVE LIQUID, (contains HYPOCHLORITE SOLUTIONS)

Hazard Class: 8

Packing Group: III

UN Number: UN1791

Limitations: RQ = 100 lbs.

---

---

## Section 15: Regulatory Information

---

---

U.S. Federal Regulations: MSDS complies with OSHA's Hazard Communication Rule, 29CFR1910.1200.

CERCLA /Superfund, 40 CFR 117: N/A

SARA Superfund and Reauthorization Act of 1986 Title III Sections 302, 311, 312 and 313:

Section 302: None of the chemicals are listed in Section 302

Section 311 / 312: By our hazard evaluation, this product is non-hazardous.

Section 313: None of the chemicals are listed in Section 313.

TSCA: All substances are TSCA Listed.

---

---

## Section 16: Other Information

---

---

Revision Dates, Sections, Revised By: 03-26-2003, CREATED, D. Sloan

Abbreviations used in this Document: N/A – Not Applicable, N/E – Not Established

Disclaimer of Liability: The information contained herein is, to the best of our knowledge, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.